



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/564,608	07/13/2006	Ian Hall	207,419	8874
38137	7590	11/24/2010	EXAMINER	
ABELMAN, FRAYNE & SCHWAB 666 THIRD AVENUE, 10TH FLOOR NEW YORK, NY 10017			VENNE, DANIEL V	
ART UNIT		PAPER NUMBER		
3617				
MAIL DATE		DELIVERY MODE		
11/24/2010		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Supplemental Notice of Allowability	Application No.	Applicant(s)
	10/564,608	HALL ET AL.
	Examiner S. Joseph Morano	Art Unit 3617

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to interview on 11/23/10.
2. The allowed claim(s) is/are 1,6,9,14,15,20-24 and 26.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- * Certified copies not received: _____.
4. SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOS IT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Joseph Catanzaro on 11/23/10.

A typographical error appeared in paragraph 5 of the original Examiner's Amendment mailed 11/09/10. This amendment is supplemental to, and replaces the original incorrect version. The "and configured to minimize loss of deck strength" phrase has now been inserted between the comma and "therefrom" instead of after the comma in the original version.

The application has been amended as follows:

The phrase "the deck plate" is changed to read -- ***a deck plate*** -- in line 2 of claims 1, 24 and 26.

The phrase -- ***and configured to minimize loss of deck strength*** -- has been added between "***therebelow***" and "," on line 6 of claim 1, on line 4 of claim 9, on line 6 of claim 21, on line 7 of claim 24, and on line 6 of claim 26.

2. Any inquiry concerning this communication should be directed to S. Joseph Morano at telephone number (571)272-6684. Any inquiry as to the status of the application should be directed to the examiner of record, Dan V. Venne, at telephone number (571) 272-7947.

/S. Joseph Morano/
Supervisory Patent Examiner, Art Unit 3617

S. Joseph Morano
SPE
Art Unit 3617